## Declaration of Conformity

## We, Spiracle Technology

Spiracle Technology, LLC 10601 Calle Lee #190 Los Alamitos, CA 90720 U.S.A

declare that the products listed on this document (below):

Item: Fingertip Pulse Oximeter (PEZO2) & RELATED ACCESSORIES Product: FERNO2 - PEZO2 Fingertip Pulse Oximeter, P/N T10565

## **PEZO2** Fingertip Pulse Oximeter

Mfg. for Spiracle Technology

Pulse Oximeter and SpO2 Probe

Model: AE-XX, AH-XX and ASXXX-XX

is herewith confirmed to comply with the requirements set out in the Council Directive on the harmonization of the Low of Member States concerning Medical Device Directive 93/42/EEC- M5(2007/47/EC)

For the evolution regarding the Class IIb product safety aspects, the following standards were applied:

EN ISO 14971:2012; Medical devices. Application of risk management to medical devices • EN ISO 15223-1:2016; Symbols to be used with medical device labels, labeling and information to be supplied—Part1: General requirement

- EN 1041:2008; Information supplied by the manufacturer of medical devices
- EN 60601-1:2006/A1:2013; Medical electrical equipment; Part1: General requirements for safety

• EN 60601-1-2:2015 (EN 60601-1-2:2007); Medical electrical equipment — Part 1-2: General requirements for basic safety and essential performance — Collateral standard: Electromagnetic compatibility — Requirements and tests

- EN 62304:2006/AC:2008; Medical device software Software life cycle processes
- EN 62366:2008; Medical devices Application of usability engineering to medical devices
- ISO 80601-2-61:2011; Medical electrical equipment. Particular requirements for basic safety and essential performance of pulse oximeter equipment

• EN ISO 10993-1:2009/AC: 2010: Biological evaluation of medical devices -- Part 1: Evaluation and testing within a risk management process

• EN/ISO 13485: 2012 Medical Devices - Quality Management Systems - Requirements for Regulatory Purposes

• RoHS Directive 2011/65/EU: Restriction of the Use of Certain Hazardous Substances in Electronic and Electrical Equipment

EUROPEAN CONTACT: Ferno Washington Italia s.r.l. via Benedetto Zallone n.26 40066, Pieve di Cento (Bo) - Italy P +39 051 6860028 / F +39 051 6861508 Notified Body: DNV GL Presafe AS

2460

following the provisions of Directive 93/42/EEC as amended by 2007/42/EC, Annex I, Annex V, Annex VII Issued at,

**Spiracle Technology, LLC** 10601 Calle Lee #190 Los Alamitos, CA 90720 U.S.A

April 20, 2020

Michael Sarné, Managing Director

Date